

SELECTION TABLE DOSES KORO - ES.

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

LAYOUT L03 – BRASILE 60Hz

LAY-OUT





TABELLA PRODOTTI / PRODUCT TABLE.

POSIZ./ POSIT.	PRODOTTO/ PRODUCT	N° DOSAT./ N° DOSING	TARAT. DOS. SETT. DOS. (grammi/sec.)	N° ELETTR./ N° ELECTRO.	TAR. EV SETT. EV (cc/sec.)
1	Chocolate (Chà)	1	4	-	-
2	Espresso	-	-	-	-
3	Espresso	-	1,8	-	-
-	Agua quente	-	-	-	-
	Latte Fresco	-	-	10	8

SELECTION TABLE DOSES KORO - ES.

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

DISPOSIZIONE TASTIERA / KEYBOARD SELECTION L03 - BRASIL.



SELEZIONI ALTERNATIVE / ALTERNATIVE SELECTIONS L03.



SELECTION L03.

SELEZIONE SELECTION (N.)	DOSI ACQUA WATER DOSES	DOSI POLVERI POWDER DOSES
Cafe Espresso (1) (tot. 50cc)	cafe espresso 95 cdv	cafe expreso 7,0 gr.
Cafè Longo (2) (tot. 70cc)	cafe espresso 127 cdv	cafe expreso 7,0 gr.
Cafè Pingado (3) (tot. 85cc)	leite 35 cc	
(Latte fresco)	cafe espresso 95 cdv	cafe expreso 7,0 gr.
	leite 0 cc	
Capucino (4) (tot. 130cc)	leite 80 cc	
(Latte fresco)	cafe espresso 95 cdv	cafe expreso 7,0 gr.
	leite 0 cc	

**SELECTION TABLE DOSES
KORO - ES.**

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

SELEZIONE SELECTION (N.)	DOSI ACQUA WATER DOSES	DOSI POLVERI POWDER DOSES		
Mokaccino (5) (tot. 90cc)	leite 20 cc			
(Latte fresco)	cafe espresso 67 cdv	cafe espresso 7,0 gr.		
	Chocolate 41 cdv	Chocolate 6,0 gr.		
Chocolate (6) (tot. 110cc)	chocolate 143 cdv	chocolate 21,0 gr.		
Leite Pingada (7) (tot. 70cc)	leite 40cc			
(Latte fresco)	cafe espresso 56 cdv	cafe espresso 7,0 gr.		
	leite 0cc			
Agua quente (8) (tot. 110cc)	agua quente 143 cdv			
Chocolate c/leite (9) (tot. 90cc)	chocolate 70 cdv	chocolate 14,0 gr.		
	Leite 30cc			
Chà (10) (tot. 100cc)	chà 116 cdv	chà 14,0 gr.		

**SELECTION TABLE DOSES
KORO - ES.**

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

DISPOSIZIONE INFORMAZIONI GENERALI.

TABELLA PESI VALIDATORE:

Linea	A	B	C	D	E	F
Peso	1	2	5	10	20	20

PREZZO SELEZIONI: Tutte le selezioni a 1.00 R\$.

NPREZZO SELEZIONI: Tutte le selezioni puntano al prezzo 1.

POSIZIONE PUNTO DECIMALE: 2.

TEMPERATURA CALDAIA EXP: 95.0 °C.

TEMPERATURA CALDAIA CAPPUCCINATORE: 155.0 °C.

RITARDI ACQUE / POLVERI: Ritardo polvere rispetto all'acqua 0.6 sec.

LINGUE: Francaise, Espanol, **Portugues**, English.

GENERAL INFORMATION.

PAYMENT SYSTEM DETAILS:

Line	A	B	C	D	E	F
Weight	1	2	5	10	20	20

SELECTION PRICE: all the selection to 1.00 R\$.

SELECTION NPRICE: all the selections are set price line1.

DECIMAL POINT POSITION: 2.

TEMPERATURE BOILER EXP: 95.0 °C.

TEMPERATURE BOILER CAPPUCCINATORE: 155.0 °C.

WATER / POWDER DELAYS: Powder delays to water 0.6 sec.

LANGUAGE: Francaise, Espanol, **Portugues**, English,.

**SELECTION TABLE DOSES
KORO - ES.**

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

LAYOUT L01 – PERU

TABELLA PRODOTTI / PRODUCT TABLE.

POSIZ./ POSIT.	PRODOTTO/ PRODUCT	N° DOSAT./ N° DOSING	TARAT. DOS. SETT. DOS. (grammi/sec.)	N° ELETTR./ N° ELECTRO.	TAR. EV SETT. EV (cc/sec.)
1	Leite	1	1,6	-	-
2	Espresso	-	-	-	-
3	Espresso	-	1,8	-	-
-	Agua quente	-	-	-	-

**SELECTION TABLE DOSES
KORO - ES.**

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

**DISPOSIZIONE TASTIERA / KEYBOARD SELECTION
L01 - PERU.**

+-----café-----+							
Cafe expresso	Cafe longo	Cafe pingado	Cafe com leite	Capucino	Leite pingada	Leite quente	Agua quente
☐	☐	☐	☐	☐	☐	☐	☐

SELEZIONI ALTERNATIVE / ALTERNATIVE SELECTIONS L01.

Decaf. cancel	Chà	Cafe pingado	Cafe com leite	Capucino	Leite pingada	Leite quente	Mokaccino
☐	☐	☐	☐	☐	☐	☐	☐

Chocolate	ChocoLeite						
☐	☐						

SELECTION L01.

SELEZIONE SELECTION (N.)	DOSI ACQUA WATER DOSES	DOSI POLVERI POWDER DOSES	
Cafe Espresso (1) (tot. 50cc)	cafe espresso 95 cdv	cafe expreso 7,0 gr.	
Cafè Longo (2) (tot. 70cc)	cafe espresso 127 cdv	cafe expreso 7,0 gr.	
Cafè Pingado (3) (tot. 80cc)	leite 35 cdv	Leite 3,3 gr.	
	cafe espresso 95 cdv	cafe expreso 7,0 gr.	
Cafè com Leite (4) (tot. 110cc)	leite 80 cdv	leite 5,0 gr.	
	cafe espresso 95 cdv	cafe expreso 7,0 gr.	

SELECTION TABLE DOSES
KORO - ES.

Written DM	Approved PM	
Eprom date 10/11/2009	Sw code Rev. 1.1 BRC	Country Brazil
D.A. code F960640	Model ES2TM/BRQ	

SELEZIONE SELECTION (N.)	DOSI ACQUA WATER DOSES	DOSI POLVERI POWDER DOSES		
Capucino (5) (tot. 110cc)	leite 80 cdv	leite 5,0 gr.		
	cafe espresso 95 cdv	cafe espresso 7,0 gr.		
Leite Pingada (6) (tot. 90cc)	leite 75 cdv	leite 7,0 gr.		
	cafe espresso 56 cdv	cafe espresso 7,0 gr.		
Leite Quente (7) (tot. 110cc)	leite 143 cdv	Leite 9,0 gr.		
Agua quente (8) (tot. 110cc)	agua quente 143 cdv			
Decaf. cancel (9)				
Chà (10) (tot. 100cc)	chà 116 cdv	chà 14,0 gr.		
Cafè Pingado (11) (tot. 80cc)	leite 30cc			
(Latte fresco)	cafe espresso 95 cdv	cafe espresso 7,0 gr.		
Cafè com Leite (12) (tot. 110cc)	leite 60cc			
(Latte fresco)	cafe espresso 95 cdv	cafe espresso 7,0 gr.		
Capucino (13) (tot. 110cc)	leite 60cc			
(Latte fresco)	cafe espresso 95 cdv	cafe espresso 7,0 gr.		
Leite Pingada (14) (tot. 90cc)	leite 40cc			
(Latte fresco)	cafe espresso 56 cdv	cafe espresso 7,0 gr.		
Leite Quente (15) (tot. 110cc)	leite 110 cc			
(Latte fresco)				

SELECTION TABLE DOSES
KORO - ES.

Written DM	Approved PM	
Eprom date 10/11/2009	Sw code Rev. 1.1 BRC	Country Brazil
D.A. code F960640	Model ES2TM/BRQ	

SELEZIONE SELECTION (N.)	DOSI ACQUA WATER DOSES	DOSI POLVERI POWDER DOSES		
Mokaccino (16) (tot. 90cc)	leite 20 cc			
(Latte fresco)	cafe espresso 67 cdv	cafe espresso 7,0 gr.		
	Chocolate 41 cdv	Chocolate 6,0 gr.		
Chocolate (17) (tot. 110cc)	chocolate 143 cdv	chocolate 21,0 gr.		
Chocolate c/leite (18) (tot. 90cc)	chocolate 70 cdv	chocolate 14,0 gr.		
	Leite 30cc			

LAYOUT L02 – PERU

TABELLA PRODOTTI / PRODUCT TABLE.

POSIZ./ POSIT.	PRODOTTO/ PRODUCT	N° DOSAT./ N° DOSING	TARAT. DOS. SETT. DOS. (grammi/sec.)	N° ELETTR./ N° ELECTRO.	TAR. EV SETT. EV (cc/sec.)
1	Chocolate	1	4,0	-	-
2	Espresso	-	-	-	-
3	Espresso	-	1,8	-	-
-	Agua quente	-	-	-	-
	Latte Fresco	-	-	10	8

SELECTION TABLE DOSES
KORO - ES.

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

DISPOSIZIONE TASTIERA / KEYBOARD SELECTION L02 - PERU.

+-----café-----+							
Cafe expresso	Cafe longo	Cafe pingado	Cappuccino	Mokaccino	Chocolate	Leite pingada	Agua quente
○	○	○	○	○	○	○	○

SELEZIONI ALTERNATIVE / ALTERNATIVE SELECTIONS L02.

Anular descafeinado	Chà	Cafe com leite	Chocolate c/leite	Leite quente		
○	○	○				

SELECTION L02.

SELEZIONE SELECTION (N.)	DOSI ACQUA WATER DOSES	DOSI POLVERI POWDER DOSES		
Cafe Espresso (1) (tot. 50cc)	cafe espresso 95 cdv	cafe expreso 7,0 gr.		
Cafè Longo (2) (tot. 70cc)	cafe espresso 127 cdv	cafe espresso 7,0 gr.		
Cafè Pingado (3) (tot. 85cc)	leite 35 cc			
(Latte fresco)	cafe espresso 95 cdv	cafe espresso 7,0 gr.		
Capucino (4) (tot. 130cc)	leite 80 cc			
(Latte fresco)	cafe espresso 95 cdv	cafe espresso 7,0 gr.		
Mokaccino (5) (tot. 90cc)	leite 20 cc			
(Latte fresco)	cafe espresso 67 cdv	cafe espresso 7,0 gr.		
	Chocolate 41 cdv	Chocolate 6,0 gr.		

SELECTION TABLE DOSES
KORO - ES.

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

SELEZIONE SELECTION (N.)	DOSI ACQUA WATER DOSES	DOSI POLVERI POWDER DOSES		
Chocolate (6) (tot. 110cc)	chocolate 143 cdv	chocolate 21,0 gr.		
Leite Pingada (7) (tot. 70cc)	leite 40cc			
(Latte fresco)	cafe espresso 56 cdv	cafe espresso 7,0 gr.		
Agua quente (8) (tot. 110cc)	agua quente 143 cdv			
Decaf. cancel (9)				
Chà (10) (tot. 100cc)	chà 116 cdv	chà 14,0 gr.		
Cafè com Leite (11) (tot. 110cc)	leite 60cc			
(Latte fresco)	cafe espresso 95 cdv	cafe espresso 7,0 gr.		
Chocolate c/leite (12) (tot. 90cc)	chocolate 70 cdv	chocolate 14,0 gr.		
	Leite 30cc			
Leite Quente (13) (tot. 110cc)	leite 110 cc			
(Latte fresco)				

SELECTION TABLE DOSES
KORO - ES.

Written	DM	Approved	PM	
Eprom date	10/11/2009	Sw code	Rev. 1.1 BRC	Country Brazil
D.A. code	F960640	Model	ES2TM/BRQ	

DISPOSIZIONE INFORMAZIONI GENERALI.

TABELLA PESI VALIDATORE:

Linea	A	B	C	D	E	F
Peso	1	2	5	10	20	20

PREZZO SELEZIONI: Tutte le selezioni a 1.00 R\$.

NPREZZO SELEZIONI: Tutte le selezioni puntano al prezzo 1.

POSIZIONE PUNTO DECIMALE: 2.

TEMPERATURA CALDAIA EXP: 95.0 °C.

TEMPERATURA CALDAIA CAPPUCCINATORE: 155.0 °C.

RITARDI ACQUE / POLVERI: Ritardo polvere rispetto all'acqua 0.6 sec.

LINGUE: Francaise, **Espanol**, Portugues, English.

GENERAL INFORMATION.

PAYMENT SYSTEM DETAILS:

Line	A	B	C	D	E	F
Weight	1	2	5	10	20	20

SELECTION PRICE: all the selection to 1.00 R\$.

SELECTION NPRICE: all the selections are set price line1.

DECIMAL POINT POSITION: 2.

TEMPERATURE BOILER EXP: 95.0 °C.

TEMPERATURE BOILER CAPPUCCINATORE: 155.0 °C.

WATER / POWDER DELAYS: Powder delays to water 0.6 sec.

LANGUAGE: Francaise, **Espanol**, Portugues, English,.

MODIFICHE SW.

Rev. 1.1 - 10/11/2009: Autoapprendimento del tempo di ritorno del gruppo caffè.

CHANGES.

Rev. 1.1 - 10/11/2009: self adjusting time management of coffee unit.